

GENERAL INFORMATION

TriCure Granular is formulated to provide a convenient and effective method for the treatment and prevention of hydrophobic conditions in soils.

Easy to apply by hand or with spreaders, TriCure Granular is convenient for use on slopes, bunker edges, approaches, and spot treatments on problem areas such as localized dry spots.

DIRECTIONS FOR USE

Applications of TriCure Granular should begin when ambient temperatures reach 55-60° F, normally in early spring. In warmer climates, application should be year-round, or when environmental stress conditions begin to impact turf performance.

For golf course greens, tees, and fairways, apply 2.5 lb. of TriCure Granular/1000 sq. ft. on a monthly basis or as required. Irrigation after application is necessary to facilitate release of the active ingredient from the inert carrier into the soil. TriCure Granular is safe and non-phytotoxic to turf.

A 40 lb. bag treats 16,000 sq. ft. at 2.5 lb./1000 sq. ft.

RECOMMENDED SPREADER SETTINGS

Spreader	2.5 lbs./1000 sq. ft.
Cyclone	3
Earthway Rotary	12
Spyker	3
Lely HR & W	12
Lesco	C 1/2
Scotts R8A	H 1/2
Vicon (16' Swath)	4

DIRECTIONS FOR LANDSCAPE ORNAMENTALS & TREES AND SHRUBS

Apply at the base of the plants, spreading out away from the trunk or stem. If applying over foliage, assure foliage is dry, and irrigate to remove granules from foliage within four hours of application.

If plant beds are exhibiting hydrophobic (water-repellent) conditions, follow application as soon as possible with a full irrigation cycle to optimally disperse into the soil. For soil treatment of blooming plants, follow applications with a full irrigation cycle to relocate granules caught in the foliage.

For flowers and plants in bloom, assure granules are not directly in contact with blooms, which are sensitive and could become damaged with direct contact from TriCure granules.

APPLICATION RATES — BEDS AND LANDSCAPED AREAS

Preventative conditions: Apply 4 lbs. per 1000 ft² for approximately 2 months' control.

Existing hydrophobic conditions: Apply 4 lbs per 1000 ft² monthly until conditions improve.

APPLICATION RATES (ON SURFACE) — CONTAINER PLANTS AND TREES

Preventative and existing hydrophobic conditions: Scatter a handful of TriCure Granular by hand starting at the base and working outward away from the trunk or stem. Water-in or irrigate slowly to allow dissolution of the granules into the soil.

It is important to irrigate or hand-water on a regular basis to prevent recurrence of water-repellent conditions.

BENEFITS

- Effectively reduces and treats Localized Dry Spots
- Improves infiltration, penetration, and spreading of water in and through the thatch layer
- Non-phytotoxic
- Effective treatment of soil, thatch and organic matter
- Uniform distribution of water to the rootzone
- Reduces hydrophobic soil conditions
- Reduces labor cost associated with hand watering

STORAGE & DISPOSAL

Store in an approved facility out of reach of children and unauthorized personnel. Store in an area that is dry, well ventilated, and away from ignition sources.

Store in a dry area in the original bag. Do not re-use empty bag. Do not store with food or feed.

Dispose unused contents or bag in accordance with local, state and federal regulations.



WARNING

Irritant to eyes, skin, and ingestion.

Use proper gloves and goggles when handling and wash hands before touching eyes or eating. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national and international regulations.

SDS available at tricure.com

PRECAUTIONARY STATEMENTS

- Overexposure causes eye irritation, excessive watering, redness.
- Overexposure to skin may cause itching and redness.
- Harmful if swallowed. May cause diarrhea, nausea and vomiting.
- Avoid breathing dusts and particulates.
- Wear approved eye protection and clothing.
- Avoid direct or prolonged contact with skin and eyes.
- Keep out of reach of children.

IN CASE OF CONTACT

- EYES** If eye exposure occurs, wash with water for at least 15 minutes. See a physician.
- SKIN** Eye and skin irritant. Wash skin and clothing thoroughly with water after exposure.
- INGESTION** Contact physician or poison-control center. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only upon advice of a physician.

CONTAINS NON-PLANT-FOOD INGREDIENTS

Active Ingredient:

10% Oxirane 2-methyl polymer with oxirane

Inert Carrier:

90% Dolomite Limestone, Wood Dust, and Calcium Lignosulfonate

Net Weight: 40 lb (18.14 kg)

WARRANTY: Seller warrants that this material is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any contrary to such directions. Seller makes no other expressed or implied warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

**MITCHELL
PRODUCTS**

Mitchell Products LLC

1205 W. Main Street
Millville, NJ 08332

856.327.2005 • tricure.com